

1,7 m

Product details

People: 2-4



Length: 1,7 m




Diameter: Ø 1,97 m



Timber: Pine or Thermo-wood



Wall thickness: 46 mm





Heater: Electric



Roof: Bitumen or wooden shingles



Door size: Multi-layer glued pinewood, 700 x 1600 mm



Window in the door: Tempered double glazed, 295 x 580 mm



Assembled product





2.1 x 1.8 x 2.2

- Wooden barrel
- Stainless steel tightening bands
- Roof covered with the shingles
- Wooden front door with tempered double glazed window, wooden handle and the lock
- Heat-resistant plates for the heater
- 2 benches made from Aspen or Black Alder







2,4 m

Product details



People: 4-6



Length: 2,4 m



Diameter: Ø 1,97 m or Ø 2.27 m



Timber: Pine or Thermo-wood



Wall thickness: 46 mm



Heater: Electric or wood-burning



Terrace: 0.6 m



Roof: Bitumen or wooden shingles



Door size: Multi-layer glued pinewood; 700 x 1600 mm (Ø 1,97 m), 700 x 1800 mm (Ø 2,27 m)



Window in the door: Tempered double glazed, 295 x 580 mm



Windows (2 units): Tempered double glazed, 295 x 580 mm



Chimney KIT: Galvanized steel, stainless steel or CE stainless steel



Toned tempered panoramic window available: Half-back or entire back of the barrel



Toned tempered glass door available: 620 x 1550 mm (Ø 1,97 m), 620 x 1750 mm (Ø 2,27 m)
















Assembled



2.4 x 2.5 x 2.4



- Wooden barrel
- Stainless steel tightening bands
- Terrace of 0,6 m (possible without
- Roof covered with the shingles
- Wooden front door with tempered double glazed window, wooden handle and the lock
- 2 Tempered double glazed windows in the front or in the back side of the barrel
- Heat-resistant plates for the heater
- 2 side benches made from Aspen or Black Alder



3,0 m

Product details



Length: 3,0 m

Diameter: Ø 1,97 m or Ø 2,27 m

Timber: Pine or Thermo-wood

Wall thickness: 46 mm

Heater: Electric or wood-burning

Terrace: 0,6 m



Roof: Bitumen or wooden shingles

Door size: Multi-layer glued pinewood, 700 x 1600 mm (Ø 1,97 m), 700 x 1800 mm (Ø 2,27 m)


Window in the door: Tempered double glazed, 295 x 580 mm

Windows (2 units): Tempered double glazed, 295 x 580 mm


Chimney KIT: Galvanized steel, stainless steel or CE stainless steel

Toned tempered panoramic window available: Half-back or entire back of the barrel

Toned tempered glass door available: 620 x 1550 mm (Ø 1,97 m), 620 x 1750 mm (Ø 2,27 m)



- Wooden barrel
- Stainless steel tightening bands
- Terrace of 0,6 m (possible without terrace)
- Roof covered with the shingles
- Wooden front door with tempered double glazed window, wooden handle and the lock
- 2 Tempered double glazed windows in the front or in the back side of
- Heat-resistant plates for the heater
- 2 side benches made from Aspen or Black Alder













3,5 m

Product details

People: 6-8



Length: 3,5 m



Diameter: Ø 1,97 m or Ø 2.27 m



Timber: Pine or Thermo-wood



Wall thickness: 46 mm



Heater: Electric or wood-burning



Terrace: 0,6 m



Changing room: 1,0 m



Roof: Bitumen or wooden shingles



Door size: Multi-layer glued pinewood, 700 x 1600 mm (Ø 1,97 m), 700 x 1800 mm (Ø 2,27 m)



Window in the door: Tempered double glazed, 295 x 580 mm



Windows (2 units): Tempered double glazed, 295 x 580 mm



Chimney KIT: Galvanized steel, stainless steel or CE stainless steel




Toned tempered panoramic window available: Half-back or entire back of the barrel



Toned tempered glass door available: 620 x 1550 mm (Ø 1,97 m), 620 x 1750 mm (Ø 2,27 m)















2,4 x 3,6 x 2,4



- Wooden barrel
- Stainless steel tightening bands
- Terrace of 0,6 m (possible without terrace)
- Roof covered with the shingles
- Wooden front door with tempered double glazed window, wooden handle and the lock
- •2 Tempered double glazed windows in the front or in the back side of the barrel
- Changing room of 1,0 m with a toned tempered glass door (possible without ch. room)
- Heat-resistant plates for the heater
- 2 side benches made from Aspen or Black Alder

4,0 m





People: 6-8



Length: 4,0 m



Diameter: Ø 1.97 m or Ø 2,27 m



Timber: Pine or Thermo-wood



Wall thickness: 46 mm



Heater: Electric or wood-burning



Terrace: 0,6 m



Changing room: 1,0 m



Roof: Bitumen or wooden shingles



Door size: Multi-layer glued pinewood, 700 x 1600 mm (Ø 1,97 m), 700 x 1800 mm (Ø 2,27 m)



Window in the door: Tempered double glazed, 295 x 580 mm



Windows (2 units): Tempered double glazed, 295 x 580 mm



Chimney KIT: Galvanized steel, stainless steel or CE stainless steel



Toned tempered panoramic window available: Half-back or entire back of the barrel




Toned tempered glass door available: 620 x 1550 mm (Ø 1,97 m), 620 x 1750 mm (Ø 2,27 m)



Standard Set

- Wooden barrel
- Stainless steel tightening bands
- Terrace of 0,6 m (possible without terrace)
- Roof covered with the shingles
- Wooden front door with tempered double glazed window, wooden handle and the lock
- 2 Tempered double glazed windows in the front or in the back side of the barrel
- Changing room of 1,0 m with a toned tempered glass door (possible without ch. room)
- Heat-resistant plates for the heater
- 2 side benches made from Aspen or Black Alder





1,2







4,5 m

Product details

People: 6-8

Length: 4,5 m



Diameter: Ø 1,97 m or Ø 2,27 m



Timber: Pine or Thermo-wood



Wall thickness: 46 mm



Heater: Electric or wood-burning



Terrace: 0.6 m



Changing room: 1,5 m



Roof: Bitumen or wooden shingles



Door size: Multi-layer glued pinewood, 700 x 1600 mm (Ø 1,97 m), 700 x 1800 mm (Ø 2,27 m)



Window in the door: Tempered double glazed, 295 x 580 mm



Windows (2 units): Tempered double glazed, 295 x 580 mm



Chimney KIT: Galvanized steel, stainless steel or CE stainless steel



Toned tempered panoramic window available: Half-back or entire back of the barrel




Toned tempered glass door available: 620 x 1550 mm (Ø 1,97 m), 620 x 1750 mm (Ø 2,27 m)











Assembled product



2.4 x 4.6 x 2.4



- Wooden barrel
- Stainless steel tightening bands
- Terrace of 0.6 m (possible without terrace)
- Roof covered with the shingles
- Wooden front door with tempered double glazed window, wooden handle and the lock
- 2 Tempered double glazed windows in the front or in the back side of the barrel
- Changing room of 1,5 m with a toned tempered glass door (possible without ch. room)
- Heat-resistant plates for the heater
- 2 side benches made from Aspen or Black Alder



4,8 m

Product details



Length: 4,8 m

Diameter: Ø 1,97 m or Ø 2,27 m

Timber: Pine or Thermo-wood

Wall thickness: 46 mm

Heater: Electric or wood-burning

Terrace: 0.6 m

Changing room: 1,5 m

Roof: Bitumen or wooden shingles

Door size: Multi-layer glued pinewood, 700 x 1600 mm (Ø 1,97 m), 700 x 1800 mm (Ø 2,27 m)

Window in the door: Tempered double glazed, 295 x 580 mm


Windows (2 units): Tempered double glazed, 295 x 580 mm

Chimney KIT: Galvanized steel, stainless steel or CE stainless steel


Toned tempered panoramic window available: Half-back or entire back of the barrel

Toned tempered glass door available: 620 x 1550 mm (Ø 1,97 m), 620 x 1750 mm (Ø 2,27 m)





- Wooden barrel
- Stainless steel tightening bands
- Terrace of 0.6 m (possible without terrace)
- Roof covered with the shingles
- Wooden front door with tempered double glazed window, wooden handle and the lock
- 2 Tempered double glazed windows in the front or in the back side of the barrel
- Changing room of 1,5 m with a toned tempered glass door (possible without ch. room)
- Heat-resistant plates for the heater
- 2 side benches made from Aspen or Black Alder









5,9 m

Product details



People: 8-10



Length: 5,9 m



Diameter: Ø 1,97 m or Ø 2,27 m



Timber: Pine or Thermo-wood



Wall thickness: 46 mm



Heater: Electric or wood-burning



Terrace: 0,6 m



Changing room: 1,5 m



Roof: Bitumen or wooden shingles



Door size: Multi-layer glued pinewood; 700 x 1600 mm (Ø 1,97 m), 700 x 1800 mm (Ø 2,27 m)



Window in the door: Tempered double glazed, 295 x 580 mm



Windows (2 units): Tempered double glazed, 295 x 580 mm



Chimney KIT: Galvanized steel, stainless steel or CE stainless steel




Toned tempered panoramic window available: Half-back or entire back of the barrel



Toned tempered glass door available: 620 x 1550 mm (Ø 1,97 m), 620 x 1750 mm (Ø 2,27 m)









- Wooden barrel
- Stainless steel tightening bands
- Terrace of 0,6 m (possible without terrace)
- Roof covered with the shingles
- Wooden front door with tempered double glazed window, wooden handle and the lock
- 2 Tempered double glazed windows in the front or in the back side of the barrel
- Changing room of 1,5 m with a toned tempered glass door (possible without ch. room)
- Heat-resistant plates for the heater
- 2 side benches made from Aspen or Black Alder

